

8032924-805

FOOD FOR SPECIAL DIETARY USE (PROPRIETARY FOOD)

WHAT ARE ELCAFORT TABLETS?

Nutritional Information (Approximate Values) Each serving (film coated tablet) contains:		
Levacecarnine	500 mg	53.65
Resveratrol	50 mg	5.37
Methylcobalamin	1500 mcg	0.16
Chromium	200 mcg	0.02
Selenium	200 mcg	0.02
	Per 100 g	per serving (per tablet)
Energy	330 Kcal	3.07 Kcal
Carbohydrate	53.7 q	0.5 q
Protein	21.5 g	0.2 q
Fat	3.2 q	0.03 q

Levacecarnine hydrochloride, Binder-468, Resveratrol, Dispersing agent-460(i), Stabilizer-464, Anticaking agent-551, 553(iii), Magnesium Stearate, Lactose monohydrate, Methylcobalamin, Antifoaming agent-1521, Chromium Picolinate, L-

Selenomethionine, Colour-127. Appropriate overages added

Strawberry flavour.

Contains permitted synthetic food colour and added flavour (Nature-Identical flavouring substances)

Levacecarnine is playing an essential role in lipid metabolism as well as in the metabolism of ketone bodies. Resveratrol increases in the action of MnSOD (SOD2). Methylcobalamin is essential for growth, cell reproduction, hematopoiesis, and nucleoprotein and myelin synthesis. Chromium picolinate helps insulin receptor sites on muscle cells work more efficiently. Selenium involved in the functioning of membranes and the synthesis of amino acids.

1

HOW CAN ELCAFORT TABLETS HELP YOU?

Health supplement (Proprietary food).

Elcafort

CAN ELCAFORT TABLETS BE CONSUMED BY DIABETICS ?

Can affect the level of sugar in the blood so diabetic patient requires special healthcare.

SERVING RECOMMENDATION AND DIRECTION FOR USE

SERVING RECOMMENDATION AND DIRECTION FOR USE
One tablet to be taken by mouth twice or thrice daily.
It contains small amount of lactose sugar, if you suffer form
intolerance to some sugars (lactose, galactose, etc) do not consume
ELCAFORT.

ELCAFORT TABLETS are not recommended for pregnant, nursing

ELCAFORT TABLETS are not recommended for pregnant, nursing mother, children, kidney, liver problem and people with hyper sensitivity to any constituent of the product.

UNDESIRABLE EFFECTS

Nausea, vomiting, abdominal cramps, diarrhea and decreased appetite, blood clots, itching, allergic reactions. Seizures have been reported to occur in patients, with or without pre-existing seizures activity.

BEST BEFORE

Do not use after the best before date.

STORAGE

Store at a temperature not exceeding 30°C, protected from light and

Store at a temperature not exceeding 30°C, protected from light and moisture.

PRESENTATION

ELCAFORT is available as strip pack of 10 tablets.

Marketed by :

TORRENT PHARMACEUTICALS LTD. Torrent House, Off Ashram Road, Ahmedabad-380 009, INDIA Toll free number: 1800 233 2122. E-mail: customercare@torrentpharma.com

Elcafort