

## I-VIT PLUS CAPSULE

**For the use of a Registered Medical Practitioner or a Hospital or a Laboratory only**

Abbreviated Prescribing information for I-VIT PLUS CAPSULE (Eicosapentaenoic acid (EPA), Docosahexaenoic acid (DHA), methylcobalamin, folic acid, vitamin B<sub>6</sub>, coenzyme Q10, chromium, copper, zinc, lycopene with minerals and vitamins capsules) [Please refer the complete prescribing information available at [www.torrentpharma.com](http://www.torrentpharma.com)]

**PHARMACOLOGICAL PROPERTIES:** It consists of Minerals and Multivitamins.

**INDICATION:** Useful as a co-prescription in the management of chronic diseases like cardiovascular disorders such as hyperlipidemia, prehypertension/hypertension, coronary artery disease, diabetes associated conditions such as insulin resistance, prediabetes; polycystic ovary syndrome, multiple sclerosis; chronic inflammatory condition such as rheumatoid arthritis, ophthalmological conditions such as cataract, glaucoma, diabetic retinopathy, age related macular degeneration and infertility.

**DOSAGE AND ADMINISTRATION:** As per physician's discretion.

**CONTRAINDICATION:** Contraindicated in patients with hypersensitivity to any of the components of formulation, shown previous intolerance to the drug, treated cobalamin deficiency and untreated pernicious anaemia.

**WARNINGS & PRECAUTIONS:** Caution is advised in patients treated with levodopa, taking oral contraceptives, having folate deficiency, polycythemia vera, megaloblastic anemia, Leber's disease, pernicious anemia and other megaloblastic anemias, undiagnosed anemia, diabetes, alcohol dependence, liver disease, phenylketonuria (PKU), high blood pressure or low blood pressure and surgery.

**DRUG INTERACTION:** Levodopa, altretamine, phenobarbital, phenytoin, neomycin, aminosalicic acid, histamine H<sub>2</sub>-antagonists, omeprazole, colchicine, oral contraceptives, chloramphenicol, potassium supplements, vitamin C supplements, methotrexate, diphenylhydantoin, primidone, barbiturates; alcohol, tetracycline, antihypertensive drugs, warfarin, red yeast, iron supplements, penicillamine, phosphoruscontaining preparations, Cholesterol-lowering drugs (e.g., probucol), mineral oil, fat substitutes, and pectin, beta-carotene, medium-chain triglycerides and dietary oils such as olive oil.

**ADVERSE REACTIONS:** Nausea, eructation, vomiting, abdominal distension, diarrhoea, and constipation, acne, eczema, paresthesia, somnolence, and low serum folic acid levels, symptoms of dependence, severe peripheral neuropathies, pulmonary edema and congestive heart failure, polycythemia vera, itching, transitory exanthema, allergic sensitization, anorexia, flatulence, bitter or bad taste, altered sleep patterns, difficulty in concentrating, irritability, overactivity, excitement, mental depression, confusion, and impaired judgment, stomach upset, loss of appetite, lower blood pressure, acute generalised exanthematous pustulosis, Wilson's disease, cirrhosis and acute liver failure and gastric irritation.

**MARKETED BY:**



TORRENT PHARMACEUTICALS LTD.

Torrent house, Off Ashram road,  
Ahmedabad - 380009, INDIA

**IN/ I-VIT PLUS CAPSULE/FEB 2015/01/AbPI**  
(Additional information is available on request)