

Record of Bio-Medical Waste Reconciliation – January - 2020

Ref. SOP no. HSE/013/02

| Date | Waste Generator Department | Waste Category | Received Quantity (Kg) | Disposed Quantity (Kg) |
|------------------|----------------------------|----------------|------------------------|------------------------|
| Previous balance | | | 00 | 00 |
| 01/01/2020 | | | 4.260 | 4.260 |
| 02/01/2020 | QC Micro Lab | Yellow | 2.740 | 00 |
| 03/01/2020 | Not received | NA | 00 | 2.740 |
| 03/01/2020 | QC Micro Lab | Yellow | 2.340 | 00 |
| 04/01/2020 | Not received | NA | 00 | 00 |
| 05/01/2020 | Not received | NA | 00 | 00 |
| 06/01/2020 | Not received | NA | 00 | 2.340 |
| 06/01/2020 | QC Micro Lab | Yellow | 4.700 | 00 |
| 07/01/2020 | QC Micro Lab | Yellow | 2.240 | 00 |
| 08/01/2020 | QC Micro Lab | Yellow | 2.400 | 9.340 |
| 09/01/2020 | Not Received | NA | 00 | 00 |
| 10/01/2020 | Not Received | NA | 00 | 00 |
| 11/01/2020 | Not Received | NA | 00 | 00 |
| 12/01/2020 | Not Received | NA | 00 | 00 |
| 13/01/2020 | Not Received | NA | 00 | 00 |
| 14/01/2020 | Not Received | NA | 00 | 00 |
| 15/01/2020 | HR admin | Yellow | 3.0 | 00 |
| 15/01/2020 | QC Micro Lab | Yellow | 9.466 | 12.466 |
| 16/01/2020 | QC Micro Lab | Yellow | 9.4 | 00 |
| 17/01/2020 | Not Received | NA | 00 | 9.4 |
| 18/01/2020 | Not Received | NA | 00 | 00 |
| 19/01/2020 | Not Received | NA | 00 | 00 |
| 20/01/2020 | QC Micro Lab | Yellow | 4.460 | 00 |
| 20/01/2020 | QC Micro Lab | Yellow | 2.940 | 00 |
| 21/01/2020 | Not Received | NA | 00 | 7.400 |
| 21/01/2020 | QC Micro Lab | Yellow | 2.920 | 00 |
| 22/01/2020 | QC Micro Lab | Yellow | 1.400 | 00 |
| 23/01/2020 | Not received | NA | 00 | 4.320 |
| 23/01/2020 | QC Micro Lab | Yellow | 4.660 | 00 |
| 24/01/2020 | QC Micro Lab | Yellow | 2.700 | 00 |
| 25/01/2020 | Not recd | NA | 00 | 7.360 |
| 26/01/2020 | Not recd | NA | 00 | 00 |
| 27/01/2020 | HR admin | Yellow | 6.310 | 00 |
| 27/01/2020 | QC Micro Lab | Yellow | 7.520 | 00 |
| 28/01/2020 | Not recd | NA | 00 | 13.830 |
| 28/01/2020 | QC Micro Lab | Yellow | 4.140 | 00 |
| 29/01/2020 | QC Micro Lab | Yellow | 1.460 | 00 |
| 30/01/2020 | Not recd | NA | 00 | 5.600 |
| 30/01/2020 | QC Micro Lab | Yellow | 2.840 | 00 |
| 31/01/2020 | QC Micro Lab | Yellow | 3.320 | 00 |
| Total | | | 85.216 | 79.056 |